Safety Data Sheet

94203 Gust® Easy Duster

Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

1. IDENTIFICATION

Stoner Incorporated

1070 Robert Fulton Hwy. Quarryville, PA 17566

1-800-227-5538

Product Name:

Gust® Easy Duster

Product Code:

94203

Product Use:

Duster

24-hour emergency phone:

1-800-424-9300 [CHEMTREC]

HAZARD IDENTIFICATION

POTENTIAL HEALTH EFFECTS

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols

GHS Classification

Flammable Gas Category 1

Gases under pressure - Liquified Gas

Signal Word

Danger

Hazard Statements

Extremely flammable gas.

Contains gas under pressure; may explode if heated.

Precautionary Statements

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Response

Leaking gas fire:

Do not extinguish, unless leak can be stopped safely. Eliminate all ignition sources if safe to do so.

Storage

Store in a well-ventilated place.

Protect from sunlight. Store in a well-ventilated place.

3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT

CAS#

Percent

Halogenated hydrocarbon

75-37-6

80 - 100

HMIS® III* HAZARDOUS WARNINGS:

Health:

Flammability:

Physical:

2

Personal

See Section 8

Protective

Equipment:

* See www.paint.org/hmis or call the ACA at 1 (202) 462-6272 for more information on this current rating system.

4. FIRST AID MEASURES

Eyes:

Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there

is visual difficulty, seek medical attention.

Skin Contact:

In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes.

Ingestion:

Inhalation:

Ingestion is an unlikely route of exposure.

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek immediate medical

attention

Because of possible disturbances of cardiac rhythm, catecholamine drugs, such as epinephrine, should be used only in situations of emergency life

5. FIRE FIGHTING MEASURES

Fire and/or Explosion Hazards: This product contains a component(s) that is considered an extremely flammable gas(es), which has vapors that

> are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other flames and ignition sources at locations distant from the material's handling point. Containers may rupture

or explode under fire conditions.

Fire Fighting Instructions: Use CO2, foam or dry chemical. Water is generally not effective and may spread fire; however, water spray may

be used from a safe distance to cool closed containers and protect surrounding area.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Ventilate contaminated area. Remove all sources of ignition. Wearappropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely

7. HANDLING AND STORAGE

Handling: Use with adequate ventilation. Do not use near ignition sources. Avoid prolonged or repeated contact with skin. Avoid prolonged or

repeated breathing of vapor. May cause frostbite.

Storage: Store in a cool, dry, well ventilated area away from all sources of ignition. Do not store at temperatures above 122 degrees F. Empty

container may contain residues which are hazardous. Store away from incompatible materials such as materials that support combustion

(oxidizing materials) and corrosive materials (strong acids or bases).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the SDS (from

known, suspected or apparent adverse effects).

Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as Eye Protection:

chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or

airborne material. Have an eye wash station available.

The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with Skin Protection:

Respiratory Protection: None required for well ventilated situations. A supplied air respirator should be used if ventilation is not sufficient to

maintain exposure limits. Use NIOSH approved respirator where there is likelihood of inhalation of the product mist, spray

or aerosol.

COMPONENT

ACGIH TLV OSHA PEL Halogenated hydrocarbon 75-37-6 Not established Not established 1000ppm TWA (Mfr.)

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Aerosol can Lower Flammability Limit (%): 3.9 16.9 Upper Flammability Limit (%): Clear Colorless

Appearance: 63.00 Odor: Slight ethereal. Vapor Pressure (PSIG @ 70°F): 2.400000 Vapor Density [air = 1]: Odor Threshold: Mild

Not applicable Relative Density (H2O=1): 0.9 pH: Melting/Freezing Point (°F): -179 Solubility in Water: Negligible; 0-1%

No data available Partial Coefficient: n-Boiling Point (°F): -12.5

octanol/water: Autoignition Temperature (°F): Not applicable Flash Point (°F PMCC): Not applicable

< 0.020 (n-Butyl acetate = 1) Decomposition Temperature (°F): No data available **Evaporation Rate:** No data available Flammability (solid, gas): No data available Viscosity, dynamic (cSt):

Percent VOCs (%): < 0.0001

10. STABILITY AND REACTION

Chemical Stability:

Conditions to Avoid: Avoid contact with: Alkali. Alkaline earth metals. Freshly abraded aluminum surfaces. Powdered metals. Ignition

sources such as open flames, sparks, static discharges or glowing metal surfaces.

Decomposition Products: This material can be decomposed by extremely high temperatures (open flames, glowing metal surfaces, etc.) forming

hydrofluoric acid and carbonyl fluoride.

11. TOXICOLOGICAL INFORMATION

Inhalation Toxicity: 4HR ALC Rat 383000 ppm ORAL ALD Rat > 1500 mg/kg Oral Toxicity:

Reproductive & No data available.

Developmental Toxicity: IARC Carcinogen Designation: No data available

Ingredient CAS# Toxicological Data

No data available

12. ECOLOGICAL INFORMATION

Ecological Toxicity: No data available Mobility: No data available

Ingredient CAS# Toxicological Data

No data available

Stoner Incorporated 94203 PAGE 2

13. DISPOSAL CONSIDERATIONS

Disposal:

Dispose according to Federal, State and local regulations.

14. TRANSPORTATION INFORMATION

Agency DOT IATA	UN Number UN1030 UN1030	Proper Shipping name Refrigerant gas R 152a† Refrigerant gas R 152a†	Hazard Class 2.1 2.1	Packing Group Not applicable Not applicable
IMDG	UN1030	Refrigerant gas R 152a†	2.1	Not applicable

^{† &}quot;Limited Quantities" may be applicable for this transportation mode.

15. REGULATORY INFORMATION

Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:

COMPONENT

CAS#

% BY WEIGHT

Regulatory Body

SARA Section 313

Warning: This product may contain chemicals known to the State of California to cause cancer. See list below.

No components listed in this section.

No components listed in this section.

Prop65 Cancer

Warning: This product may contain chemicals known to the State of California to cause birth defects. See list below.

No components listed in this section.

Prop65 Birth Defects

All components of this product are listed on the TSCA inventory.

16. OTHER INFORMATION

Other Information:

SDS Prepared by L. Dean Swartz, SDS Coordinator

Version Date:

07/27/17

This information contained in this SDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.